# Huddly
GO

For small spaces and
huddle rooms.

Huddly GO
Product Information

Weight: 110 g / 0.24 lbs

6.4 cm / 2.52 in

3.5 cm / 1.4 in

4.0 cm / 1.6 in

7.2 cm / 2.82 in

Specifications

Image
- 16 Megapixels 1/2.3" CMOS Sensor
- 720p HD @ 30 fps
- 16:9 aspect ratio output
- UVC 1.1 Plug & Play Compatible
- MJPEG, YUV 4:2:2 and 4:2:0 support over USB 3
- MJPEG support over USB 2

Optics
- Ultra-wide angle glass optics
- Horizontal field of view 120˚
- Vertical field of view 90˚
- Diagonal field of view 150˚
- f/2.8 aperture

Connectivity
- USB Type-C connector
- SuperSpeed USB 3
- HighSpeed USB 2
- Power requirement 5V 900mA

Hardware
- High-performance video processing engine
- Embedded mounting hinge
- Camera tripod mount
- Requires 5V 900 mA power supply

Color
Matte Gray

Huddly GO
Product Information

Features

Wide-Angle Lens
The camera features a wide-angle lens that ensures everyone is captured on video, even those who are close to the screen.

Digital Pan/Tilt/Zoom
The camera has no moving parts, allowing Pan, Tilt, and Zoom functions to be adjusted smoothly, silently and instantly.

Image Enhancement
The camera automatically corrects white balance, color, and optical aberration. It reduces image noise through bias compensating spatio-temporal filtering with wide-area chroma filtering and adapts to poor lighting conditions with Dynamic Light Optimization.

Real-Time Dewarping
The camera's wide-angle image is dewarped and perspective corrected in real time, rendering a natural, true-to-life view.

180° Auto-Flip
The camera automatically provides the correct view when mounted upside down.

Room Examples

3.5 m / 11.5 ft

120°

4 m / 13 ft

Small / Focus Room

3 m / 10 ft

120°

3 m / 10 ft

Huddle Room